

Product Specifications Document

PRODUCT NAME

6 Button Control Stick

MODEL NUMBER

MK 1627-50

Table of Contents

1. Limitations on Applicability	3
2. Destination Model	3
3. External Appearance	3
4. Characteristics Compatibility	3
5. Measurements	4
6. Applicable Conditions	4
7. Electrical Specifications	4
8. System	5
9. SET Contents	5
10. Alterations	6

1. Limitations on Applicability

This specifications document applies to the Sega Enterprises product listed below.

6 Button Control Stick

2. Destination•Model

Assuming this product will be sold in Europe, this product is assigned the below model number.

Europe MK 1627-50

Barcode # 497436561627 4

3. External Appearance

Not yet determined

4. Characteristics•Compatibility

The 6 Button Control Stick is intended for Europe.

This product is a 6 button control pad for use with the Mega Drive, which through the addition of a rapid fire function and SELECT function, as well as a control stick instead of a direction key, makes improved control possible. Through this peripheral home video games can be played in a similar fashion as arcade games. Moreover, additional controls are possible.

SELECT function	By changing the SELECT SWITCH, both a 3 button and 6 button mode can be selected.
Rapid fire function	Rapid fire can be selected or cancelled by means of the rapid fire ON/OFF switch. Moreover, 6-24 shots can be fired per second, which can be controlled with a volume switch.
Compatibility:	Mega Drive (Europe).

5. Measurements

Δ Main Body

- Measurements Undecided
- Weight Undecided
- Cable Length 1200 mm ± 30 mm

Δ Packaging

- Measurements Undecided
- Weight Undecided

Δ Master Carton (containing 6 sets)

- Measurements Undecided
- Weight Undecided
- Volume Undecided

6. Applicable Conditions

Transportation	0° C - 40° C	10 % RH - 80 % RH (free of condensation)
Storage	10° C - 60° C	5 % RH - 95 % RH

7. Electrical Specifications

Voltage	DC + 5 V (supplied by Mega Drive)
Radiation Regulation	Undecided (The intention is to clear by hooking up to the main body)
Rapid Fire	6 - 24 shots (6 -24 shots can be fired per

second which can be adjusted with the volume control)

Standard Working Voltage DC + 5 V \pm 5 %

Power Consumption Undecided

8. System

Direction Key	1 EA	8 Directions	Rubber
Start Button	1 EA	Push-type	Rubber
Mode Button	1 EA	Push-type	Rubber
Trigger Button	6 EA	Push-type	Rubber (A, B, C, X, Y, Z)
SELECT SW	1 EA	Slide-type	3 button/6button changeable switch
Rapid Fire ON/OFF SW	6 EA	Slide-type	Each button has its own ON/OFF SWITCH
Rapid Fire Volume	1 EA	Slide-type	
Connector Cable	1 EA	D-SUB 9 P	

9. SET Contents

Main Body	1 EA	Wrapped in plastic bag	
Warranty Card	1 EA		
Instruction Sheet	1 EA	W/Warranty	Wrapped in plastic bag
Business Reply Card	1 EA		

Package	1 EA	
Cardboard Cushioning	1 EA	On each side
Master Carton	1/6 EA	6 sets per carton

10. Alterations

SEGA™